

Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

Certificate of Conformity**NRW02-00049-04**

(Version: 01)

It is herewith confirmed in accordance with § 25, sentence 2, no. 2 of the Building regulations of the Land of North Rhine-Westphalia – (Landesbauordnung – BauO NRW), in the version published on 1 March 2000 (GV. NRW., page 256), last amended on 20 May 2014 (GV. NRW, S. 294) that the construction product

ECO FS – Mortise locks

Placed on the market under the name or trade mark of

ECO Schulte GmbH & Co. KG

Iserlohner Landstraße 89

D-58706 Menden

Produced in the manufacturing plant(s)

DO 20.1

according to the results of the

- Manufacturer's factory production control,
- Product testing / inspection by the MPA NRW and
- Continuous surveillance by the MPA NRW

Complies with the


**Technical rules according to the current number 6.8
of the list of regulations for construction products A part 1; DIN 18250:2003-10.**

The manufacturing plant is thus authorised to mark the construction product with the conformity mark (Ü-mark) as per Conformity Mark Ordinance (Übereinstimmungszeichen – Verordnung).

This certificate will remain valid until **07. February 2022.**

Dortmund, 04. May 2017




.....
Dipl.-Ing. Jansen
..... Head of Certification Body

This certificate consists of 1 page and 1 annex(es).

The original of this document was issued in German language.

In case of doubt only the German version is valid.

Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

ECO FS – Mortise locks

no.	Item no.	VS-Type	backset	distance	forend width	classification
1	GBS 81	B	55 - 100mm	72mm PZ	≥ 20mm	5
2	GBS 81 Falle	B	55 - 100mm	72mm PZ	≥ 20mm	1
3	GBS 90A	B, D	55 - 65mm	72mm PZ	≥ 20mm	4
4	GBS 91A	B, D	55 - 65mm	72mm PZ	≥ 20mm	4
5	GBS 92 x	B, D	55 - 100mm	72mm PZ	≥ 20mm	4/5
6	GBS 93 x	A	55 - 100mm	72mm PZ	≥ 20mm	4
7	ECO/GBS 104	B	55 - 100mm	72mm PZ	≥ 20mm	4
8	ECO/GBS 105	B	55 - 100mm	72mm PZ	≥ 20mm	5
9	ECO/GBS 109	B	55 - 100mm	72mm PZ	≥ 20mm	1
10	ECO/GBS 110	B	55 - 100mm	72mm PZ	≥ 20mm	5
11	ECO/GBS 111	B, D	55 - 100mm	72mm PZ	≥ 20mm	5
12	ECO/GBS 112	B	55 - 100mm	72mm PZ	≥ 20mm	5
13	ECO/GBS 113	B	55 - 100mm	72mm PZ	≥ 20mm	4
14	ECO/GBS 114	B	55 - 100mm	72mm PZ	≥ 20mm	4
15	ECO/GBS 115	D	55 - 100mm	72mm PZ	≥ 20mm	5
16	ECO/GBS 116	D	55 - 100mm	72mm PZ	≥ 20mm	4
17	ECO/GBS 117	D	55 - 100mm	72mm PZ	≥ 20mm	4
18	ECO/GBS 121	A	55 - 100mm	72mm PZ	≥ 20mm	4
19	ECO/GBS 122	A	55 - 100mm	72mm PZ	≥ 20mm	4
20	ECO/GBS 123	A	55 - 100mm	72mm PZ	≥ 20mm	4
21	ECO/GBS 124	A	55 - 100mm	72mm PZ	≥ 20mm	4
22	ECO/GBS 125	A	55 - 100mm	72mm PZ	≥ 20mm	4

Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

no.	Item no.	VS-Type	backset	distance	forend width	classification
23	ECO/GBS 126	A	55 - 100mm	72mm PZ	≥ 20mm	4
24	ECO/GBS 127	A	55 - 100mm	72mm PZ	≥ 20mm	4
25	ECO/GBS 180	B	60 / 100mm	72mm PZ	≥ 20mm	4
26	ECO/GBS 181	B, D	60 / 100mm	72mm PZ	≥ 20mm	4
27	ECO/GBS 182	B, D	60 / 100mm	72mm PZ	≥ 20mm	4
28	ECO/GBS 185	B	60 / 100mm	72mm PZ	≥ 20mm	4
29	ECO/GBS 190	B	55 - 100mm	72mm PZ	≥ 20mm	4
30	ECO/GBS 191	B, D	55 - 100mm	72mm PZ	≥ 20mm	4
31	ECO/GBS 192	B	55 - 100mm	72mm PZ	≥ 20mm	4
32	ECO/GBS 193	B	55 - 100mm	72mm PZ	≥ 20mm	4
33	ECO/GBS 194	B	55 - 100mm	72mm PZ	≥ 20mm	4
34	ECO/GBS 195	D	55 - 100mm	72mm PZ	≥ 20mm	4
35	ECO/GBS 196	D	55 - 100mm	72mm PZ	≥ 20mm	4
36	ECO/GBS 197	D	55 - 100mm	72mm PZ	≥ 20mm	4

VS-Type A Lock for single leaf doors and active leaf of double leaf doors
VS-Type B Lock for outside opening single leaf doors
VS-Type D Lock for inside opening single leaf doors